

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	544	(( address\$3 or region\$1 or portion\$1 or space\$1) near3 memor\$3) with priority\$3 with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:49
L2	362	(( address\$3 or region\$1 or portion\$1 or space\$1) near3 memor\$3) with priority\$3 near6 access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:50
L3	172	(( address\$3 or region\$1 or portion\$1 or space\$1) near3 memor\$3) with priority\$3 near6 access\$3 same request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:50
L4	19	(( address\$3 or region\$1 or portion\$1 or space\$1) near3 memor\$3) with priority\$3 near6 access\$3 same request\$3 same shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:56
L5	196	(( address\$3 or region\$1 or portion\$1 or space\$1) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:56
L6	28	(( address\$3 or region\$1 or portion\$1 or space\$1) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 same ( correspond\$3 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:05
L7	55	(( address\$3 or region\$1 or portion\$1 or space\$1) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 with ( request\$3 or command\$3or message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:09
L8	13	(( address\$3 or region\$1 or portion\$1 or space\$1) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 with ( request\$3 or command\$3or message\$1) & cach\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:09

L9	22	(( address\$3 or region\$1 or portion\$1 or space\$1 or bank\$1 ) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 with ( request\$3 or command\$3 or message\$1) & cach\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:32
L10	77	(( address\$3 or region\$1 or portion\$1 or space\$1 or bank\$1 ) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 with ( request\$3 or command\$3 or message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:33
L11	79	(( address\$3 or region\$1 or portion\$1 or space\$1 or bank\$1 ) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 with ( request\$3 or command\$3 or message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:33
L12	72	(( address\$3 or bank\$1 ) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 with ( request\$3 or command\$3 or message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:50
L13	2	( "5987574").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:35
L14	4	(( address\$3 or bank\$1 ) near6 memor\$3 near3 priorit\$3) with priority\$3 near6 access\$3 with ( request\$3 or command\$3 or message\$1) same ( correspond\$3 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:44
L15	437	(( address\$3 or bank\$1 ) near6 memor\$3 near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:50
L16	1697	(( address\$3 or bank\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:50

L17	1936	(( address\$3 or bank\$1 or page\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:50
L18	219	(( address\$3 or bank\$1 or page\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) same ( correspond\$3 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:51
L19	113	(( address\$3 or bank\$1 or page\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) same ( correspond\$3 or match\$3) same access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:51
L20	69	(( address\$3 or bank\$1 or page\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) same ( correspond\$3 or match\$3) same access\$3 same memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:52
L21	3	(( bank\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) same ( correspond\$3 or match\$3) same access\$3 same memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:53
L22	107	(( bank\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) same access\$3 same memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:53
L23	24	(( bank\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) same access\$3 same memor\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:57
L24	106	(( bank\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) near3 priorit\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:58

L25	7	(( (bank\$1 ) near3 priorit\$3) with ( request\$3 or command\$3 or message\$1 or access\$3 ) near3 priorit\$3 ) same compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:58
L26	94	(( (bank\$1 ) near3 priorit\$3) with ( request or requesting or command\$3 or message\$1 or access\$3 ) near3 priorit\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 11:14
L27	30	(( (bank\$1 ) near3 priorit\$3) with ( correspond\$3 or match\$3 or map\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:09
L28	2	( "4,818932").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:19
L29	2	( "6,321,309" B1).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:55
L30	2	( "4,814,974" ).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:55
S1	2460	(710/21,23,37,39,40,45,51,308,200,220,240,244).CCLS.	USPAT; USOCR	OR	OFF	2006/01/09 10:49
S2	64	S1 & ( access\$3 same prior\$6 with request\$3 with address\$3)	USPAT	OR	OFF	2006/01/09 16:52
S3	2741	(710/21,23,37,39,40,45,51,308,200,220,240,244).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:30
S4	8	S1 & ( access\$3 same prior\$6 with request\$3 with address\$3 same assign\$3 )	USPAT	OR	OFF	2006/01/09 10:56
S5	24	S1 & ( prior\$6 near6 request\$3 with address\$3 same assign\$3 )	USPAT	OR	OFF	2006/01/09 10:57

S6	33	S1 & ( priorit\$3 near6 request\$3 with address\$3 with access\$3 )	USPAT	OR	OFF	2006/01/09 16:18
S7	31	S1 & ( priorit\$3 near6 request\$3 with address\$3 with access\$3 )	USPAT	OR	OFF	2006/01/09 11:03
S8	17	S1 & ( priorit\$3 near6 request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) )	USPAT	OR	OFF	2006/01/09 11:29
S9	18	S3 & ( priorit\$3 near6 request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:30
S10	37	S3 & ( priorit\$3 near6 request\$3 with access\$3 same (correspond\$3 or match\$3 or compatibl\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:01
S11	498	(710/240).CCLS.	USPAT; USOCR	OR	OFF	2006/01/09 11:47
S12	49	S11 & priorit\$3 with ( correspond\$3 or match\$3 or compatibl\$3)	USPAT	OR	OFF	2006/01/09 11:38
S13	19	S11 & priorit\$3 with ( correspond\$3 or match\$3 or compatibl\$3) with ( request\$3 or command\$3)	USPAT	OR	OFF	2006/01/09 11:47
S14	37	S11 & priorit\$3 with ( request\$3 or command\$3) same ( correspond\$3 or match\$3 or compatibl\$3)	USPAT	OR	OFF	2006/01/09 11:46
S15	49	S11 & priorit\$3 with ( correspond\$3 or match\$3 or compatibl\$3)	USPAT	OR	OFF	2006/01/09 11:47
S16	591	(710/240).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:47
S17	19	S16 & priorit\$3 with ( correspond\$3 or match\$3 or compatibl\$3) with ( request\$3 or command\$3)	USPAT	OR	OFF	2006/01/09 17:35
S18	23	S16 & priorit\$3 with ( correspond\$3 or match\$3 or compatibl\$3) with ( request\$3 or command\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:34

S19	58	S16 & priorit\$3 with ( correspond\$3 or match\$3 or compatibl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:49
S20	48	S16 & priorit\$3 near6 ( correspond\$3 or match\$3 or compatibl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:57
S21	36	S16 & ( correspond\$3 or match\$3 or compatibl\$3) with ( request\$3 or command\$3) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:57
S22	8	S16 & priorit\$3 with ( correspond\$3 or match\$3 or compatibl\$3) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:57
S23	8	S16 & ( correspond\$3 or match\$3 or compatibl\$3) with ( request\$3 or command\$3) with access\$3 same priorit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:01
S24	15	S16 & ( correspond\$3 or match\$3 or compatibl\$3) with access\$3 same priorit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:02
S25	47	S3 & ( correspond\$3 or match\$3 or compatibl\$3) with access\$3 same priorit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:07
S26	47	S3 & ( correspond\$3 or match\$3 or compatibl\$3) with access\$3 same priorit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:15

S27	132	S3 & ( correspond\$3 or match\$3 or compatibl\$3 or respect\$6) with access\$3 same priorit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:08
S28	110	S3 & ( correspond\$3 or match\$3 or compatibl\$3 or respect\$6) same request\$3 with access\$3 with priorit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:09
S29	80	S3 & ( respect\$6) same request\$3 with access\$3 with priorit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:09
S30	50	S3 & ( respect\$6 ) with request\$3 with access\$3 with priorit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:00
S31	2	S3 & ( schedul\$3 near\$6 request\$3 with access\$3 same (correspond\$3 or match\$3 or compatibl\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:02
S32	2	S3 & ( schedul\$3 with request\$3 with access\$3 same (correspond\$3 or match\$3 or compatibl\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:03
S33	8	( schedul\$3 with request\$3 with access\$3 same (correspond\$3 or match\$3 or compatibl\$3 ) same priorit\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:08
S34	382	( priorit\$6 with request\$3 with access\$3 same (correspond\$3 or match\$3 or compatibl\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:09

S35	156	( priorit\$6 with request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:09
S36	36	( priorit\$6 with request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:17
S37	102	( priorit\$6 near6 request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:07
S38	15	( priorit\$6 near6 request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) same shar\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:26
S39	2	( "6,893813" B2).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:11
S40	3	( "6,839813" B2).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:56
S41	1	"5319760".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:18
S42	1	"5479627".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:18
S43	1	"5754818".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:18
S44	1	"5796978".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:19
S45	1	"6009333".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:19
S46	1	"6119204".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:19
S47	1	"6339816".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:20



S48	1	"6370632".PN.	USPAT; USOCR	OR	OFF	2006/01/09 13:20
S49	61	( priorit\$6 near6 request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) & shar\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:54
S50	2	( "4,070,706" ).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:30
S51	188	( priorit\$6 near6 request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 or respectiv\$6 ) & shar\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:44
S52	47	( priorit\$6 near6 request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 or respectiv\$6 ) same shar\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:03
S53	19	( priorit\$6 near6 request\$3 with access\$3 with ( compar\$3 ) same shar\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:17
S54	0	( "08978580").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:08
S55	2	( "6,092137").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:09
S56	72	( priorit\$6 near6 request\$3 with access\$3 with ( compar\$3 ) & shar\$6 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:18

S57	39	( priorit\$6 near6 request\$3 with access\$3 with ( compar\$3 ) ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:18
S58	28	S16 & priorit\$3 with ( compar\$3 ) with ( request\$3 or command\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:42
S59	41	S16 & priorit\$3 with ( equal\$3 ) with ( request\$3 or command\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:04
S60	77	S16 & priorit\$3 with ( " same" ) with ( request\$3 or command\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:55
S61	24	S16 & priorit\$3 with ( " same" ) with ( request\$3 or command\$3) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 14:58
S62	62	S16 & priorit\$3 near6 ( " same" ) with ( request\$3 or command\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:03
S63	7	S16 & priorit\$3 near6 ( map\$6 ) with ( request\$3 or command\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:04
S64	111	S3 & priorit\$3 with ( equal\$3 ) with ( request\$3 or command\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:04

S65	20	S3 & priorit\$3 with ( equal\$3 ) with ( request\$3 or command\$3 ) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:50
S66	186	priorit\$3 with ( equal\$3 ) with ( request\$3 or command\$3 ) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:07
S67	15	priorit\$3 with ( equal\$3 ) with ( request\$3 or command\$3 ) with access\$3 same shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:11
S68	7	priorit\$3 with ( match\$3 ) with ( request\$3 or command\$3 ) with access\$3 same shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:26
S69	1116	priorit\$3 near6 access\$3 with ( correspond\$3 or match\$3 or compar\$3 or equal\$3 or map\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:27
S70	80	priorit\$3 near6 access\$3 with ( correspond\$3 or match\$3 or compar\$3 or equal\$3 or map\$6) with resourc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:27
S71	80	( priorit\$3 near6 access\$3 ) with ( correspond\$3 or match\$3 or compar\$3 or equal\$3 or map\$6) with resourc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:28
S72	53	( priorit\$3 near6 access\$3 ) with ( correspond\$3 or match\$3 or equal\$3 or map\$6) with resourc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:30

S73	2	( "5,931924").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:30
S74	125	S3 & priorit\$3 with ( determ\$3 or select\$3 ) with ( request\$3 or command\$3) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:51
S75	177	S3 & priorit\$3 with ( determin\$3 or select\$3 ) with ( request\$3 or command\$3) with access\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:51
S76	20	S3 & ( priorit\$3 with ( determin\$3 or select\$3 ) with ( request\$3 or command\$3) with access\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 15:54
S77	58	S3 & ( priorit\$3 with ( determin\$3 or select\$3 ) same access\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:07
S78	204	S16 & ( priorit\$3 with access\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:08
S79	172	S16 & ( priorit\$3 near6 access\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:09
S80	44	S16 & ( priorit\$3 near6 access\$3 ) with resource\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:09

S81	44	S16 & ( priority\$3 near6 access\$3 ) with ( priority\$6 near6 resource\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:15
S82	39	S16 & ( priority\$3 near6 request\$3 ) with ( priority\$6 near6 resource\$1 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:16
S83	21	S16 & ( priority\$3 near2 correspond\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:18
S84	0	S1 & ( ( permission or grand\$3 ) near6 assecc\$3 with ( correspond\$3 or match\$3 or equal\$3 ) )	USPAT	OR	OFF	2006/01/09 16:27
S85	0	S1 & ( ( permission or grand\$3 ) with assecc\$3 with ( correspond\$3 or match\$3 or equal\$3 ) )	USPAT	OR	OFF	2006/01/09 16:27
S86	0	S1 & ( ( permission or grand\$3 ) same assecc\$3 same ( correspond\$3 or match\$3 or equal\$3 ) )	USPAT	OR	OFF	2006/01/09 16:27
S87	2	S1 & ( ( permission or grand\$3 ) near6 access\$3 with ( correspond\$3 or match\$3 or equal\$3 ) )	USPAT	OR	OFF	2006/01/09 16:28
S88	3	S1 & ( ( permission or grand\$3 ) with access\$3 with ( correspond\$3 or match\$3 or equal\$3 ) )	USPAT	OR	OFF	2006/01/09 16:29
S89	128	(( permission or grand\$3 ) with access\$3 with ( correspond\$3 or match\$3 or equal\$3 ) )	USPAT	OR	OFF	2006/01/09 16:29
S90	76	(( permission or grand\$3 ) near3 access\$3 with ( correspond\$3 or match\$3 or equal\$3 ) )	USPAT	OR	OFF	2006/01/09 16:29
S91	21	(( permission or grand\$3 ) near3 access\$3 with ( correspond\$3 or match\$3 or equal\$3 ) same address\$3 )	USPAT	OR	OFF	2006/01/09 17:09
S92	275	(( value\$1 ) near3 access\$3 with ( correspond\$3 or match\$3 or equal\$3 ) same address\$3 )	USPAT	OR	OFF	2006/01/09 16:32
S93	28	(( value\$1 ) near3 access\$3 with ( correspond\$3 or match\$3 or equal\$3 ) same priority\$3 )	USPAT	OR	OFF	2006/01/09 16:34

S94	2416	( access\$3 same ( correspond\$3 or match\$3 or equal\$3) same priorit\$3 )	USPAT	OR	OFF	2006/01/09 16:34
S95	146	( access\$3 same ( correspond\$3 or match\$3 or equal\$3) same priorit\$3 same request\$3 same shar\$3 )	USPAT	OR	OFF	2006/01/09 16:35
S96	17	( access\$3 same ( correspond\$3 or match\$3 or equal\$3) same priorit\$3 same request\$3 same shar\$3 ).ab.	USPAT	OR	OFF	2006/01/09 16:36
S97	35	( access\$3 same ( correspond\$3 or match\$3 or equal\$3) same priorit\$3 same request\$3 same ( shar\$3 near3 resource\$3))	USPAT	OR	OFF	2006/01/09 16:36
S98	25	( priorit\$6 with request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) ).ab.	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:19
S99	37	( priorit\$6 with request\$3 with access\$3 with (correspond\$3 or match\$3 or compatibl\$3 ) )	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:19
S10 0	4516	( priority near6 resource\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:44
S10 1	1054	( priority near6 resource\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:45
S10 2	219	( priority near6 resource\$1 with access\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:46
S10 3	3	( address\$3 with priority near6 resource\$1 with access\$3 ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:47
S10 4	27	( address\$3 with priority near6 resource\$1 with access\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 09:47